

材質	CNL 記號	NB709B	NB901B	SE701G	VT730B	EP702B
原料		NBR 70°	NBR 90°	Silicone 70°	Viton 75°	EP 70°

單位 unit: mm

AS 規格	內徑 I.D.	外徑 O.D.	厚度 W	加耐力編號 CNL Parts No.
AS 001	0.74	2.78	1.02	08001
AS 002	1.07	3.61	1.27	08002
AS 003	1.42	4.48	1.53	08003
AS 004	1.78	5.34	1.78	08004
AS 005	2.57	6.13	1.78	08005
AS 006	2.9	6.46	1.78	08006
AS 007	3.69	7.25	1.78	08007
AS 008	4.47	8.03	1.78	08008
AS 009	5.29	8.85	1.78	08009
AS 010	6.07	9.63	1.78	08010
AS 011	7.65	11.21	1.78	08011
AS 012	9.25	12.81	1.78	08012
AS 013	10.82	14.38	1.78	08013
AS 014	12.42	15.98	1.78	08014
AS 015	14	17.56	1.78	08015
AS 016	15.6	19.16	1.78	08016
AS 017	17.17	20.73	1.78	08017
AS 018	18.77	22.33	1.78	08018
AS 019	20.35	23.91	1.78	08019
AS 020	21.95	25.51	1.78	08020
AS 021	23.52	27.08	1.78	08021
AS 022	25.12	28.68	1.78	08022
AS 023	26.7	30.26	1.78	08023
AS 024	28.3	31.86	1.78	08024
AS 025	29.87	33.43	1.78	08025
AS 026	31.47	35.03	1.78	08026
AS 027	33.05	36.61	1.78	08027
AS 028	34.65	38.21	1.78	08028
AS 029	37.82	41.38	1.78	08029
AS 030	41	44.56	1.78	08030
AS 031	44.17	47.73	1.78	08031
AS 032	47.35	50.91	1.78	08032
AS 033	50.52	54.08	1.78	08033
AS 034	53.7	57.26	1.78	08034
AS 035	56.87	60.43	1.78	08035
AS 036	60.04	63.6	1.78	08036
AS 037	63.22	66.78	1.78	08037
AS 038	66.4	69.96	1.78	08038
AS 039	69.57	73.13	1.78	08039
AS 040	72.75	76.31	1.78	08040

AS 規格	內徑 I.D.	外徑 O.D.	厚度 W	加耐力編號 CNL Parts No.
AS 041	75.92	79.48	1.78	08041
AS 042	82.27	85.83	1.78	08042
AS 043	88.62	92.18	1.78	08043
AS 044	94.97	98.53	1.78	08044
AS 045	101.32	104.88	1.78	08045
AS 046	107.62	111.18	1.78	08046
AS 047	114.02	117.58	1.78	08047
AS 048	120.37	123.93	1.78	08048
AS 049	126.72	130.28	1.78	08049
AS 050	133.07	136.63	1.78	08050
AS 102	1.24	6.48	2.62	08102
AS 103	2.05	7.29	2.62	08103
AS 104	2.84	8.08	2.62	08104
AS 105	3.63	8.87	2.62	08105
AS 106	4.42	9.66	2.62	08106
AS 107	5.23	10.47	2.62	08107
AS 108	6.02	11.26	2.62	08108
AS 109	7.6	12.84	2.62	08109
AS 110	9.19	14.43	2.62	08110
AS 111	10.77	16.01	2.62	08111
AS 112	12.37	17.61	2.62	08112
AS 113	13.95	19.19	2.62	08113
AS 114	15.54	20.78	2.62	08114
AS 115	17.12	22.36	2.62	08115
AS 116	18.72	23.96	2.62	08116
AS 117	20.29	25.53	2.62	08117
AS 118	21.9	27.14	2.62	08118
AS 119	23.47	28.71	2.62	08119
AS 120	25.07	30.31	2.62	08120
AS 121	26.65	31.89	2.62	08121
AS 122	28.25	33.49	2.62	08122
AS 123	29.82	35.06	2.62	08123
AS 124	31.42	36.66	2.62	08124
AS 125	32.99	38.23	2.62	08125
AS 126	34.6	39.84	2.62	08126
AS 127	36.17	41.41	2.62	08127
AS 128	37.77	43.01	2.62	08128
AS 129	39.35	44.59	2.62	08129
AS 130	40.95	46.19	2.62	08130
AS 131	42.52	47.76	2.62	08131




材質	CNL 記號	NB709B	NB901B	SE701G	VT730B	EP702B
	原料	NBR 70°	NBR 90°	Silicone 70°	Viton 75°	EP 70°

單位 unit: mm

AS規格	內徑 I.D.	外徑 O.D.	厚度 W	加耐力編號 CNL Parts No.
AS 132	44.12	49.36	2.62	08132
AS 133	45.7	50.94	2.62	08133
AS 134	47.3	52.54	2.62	08134
AS 135	48.9	54.14	2.62	08135
AS 136	50.47	55.71	2.62	08136
AS 137	52.07	57.31	2.62	08137
AS 138	53.65	58.89	2.62	08138
AS 139	55.25	60.49	2.62	08139
AS 140	56.82	62.06	2.62	08140
AS 141	58.42	63.66	2.62	08141
AS 142	60	65.24	2.62	08142
AS 143	61.6	66.84	2.62	08143
AS 144	63.17	68.41	2.62	08144
AS 145	64.77	70.01	2.62	08145
AS 146	66.35	71.59	2.62	08146
AS 147	67.95	73.19	2.62	08147
AS 148	69.52	74.76	2.62	08148
AS 149	71.12	76.36	2.62	08149
AS 150	72.7	77.94	2.62	08150
AS 151	75.87	81.11	2.62	08151
AS 152	82.22	87.46	2.62	08152
AS 153	88.57	93.81	2.62	08153
AS 154	94.92	100.16	2.62	08154
AS 155	101.27	106.51	2.62	08155
AS 156	107.62	112.86	2.62	08156
AS 157	113.97	119.21	2.62	08157
AS 158	120.32	125.56	2.62	08158
AS 159	126.67	131.91	2.62	08159
AS 160	133.02	138.26	2.62	08160
AS 161	139.37	144.61	2.62	08161
AS 162	145.72	150.96	2.62	08162
AS 163	152.07	157.31	2.62	08163
AS 164	158.42	163.66	2.62	08164
AS 165	164.77	170.01	2.62	08165
AS 166	171.12	176.36	2.62	08166
AS 167	177.47	182.71	2.62	08167
AS 168	183.82	189.06	2.62	08168
AS 169	190.17	195.41	2.62	08169
AS 170	196.52	201.76	2.62	08170
AS 171	202.87	208.11	2.62	08171

AS規格	內徑 I.D.	外徑 O.D.	厚度 W	加耐力編號 CNL Parts No.
AS 172	209.22	214.46	2.62	08172
AS 173	215.57	220.81	2.62	08173
AS 174	221.92	227.16	2.62	08174
AS 175	228.27	233.51	2.62	08175
AS 176	234.62	239.86	2.62	08176
AS 177	240.97	246.21	2.62	08177
AS 178	247.32	252.56	2.62	08178
AS 201	4.34	11.4	3.53	08201
AS 202	5.94	13	3.53	08202
AS 203	7.52	14.58	3.53	08203
AS 204	9.12	16.18	3.53	08204
AS 205	10.69	17.75	3.53	08205
AS 206	12.29	19.35	3.53	08206
AS 207	13.87	20.93	3.53	08207
AS 208	15.47	22.53	3.53	08208
AS 209	17.04	24.1	3.53	08209
AS 210	18.64	25.7	3.53	08210
AS 211	20.22	27.28	3.53	08211
AS 212	21.82	28.88	3.53	08212
AS 213	23.4	30.46	3.53	08213
AS 214	25	32.06	3.53	08214
AS 215	26.57	33.63	3.53	08215
AS 216	28.17	35.23	3.53	08216
AS 217	29.75	36.81	3.53	08217
AS 218	31.34	38.4	3.53	08218
AS 219	32.92	39.98	3.53	08219
AS 220	34.52	41.58	3.53	08220
AS 221	36.1	43.16	3.53	08221
AS 222	37.7	44.76	3.53	08222
AS 223	40.87	47.93	3.53	08223
AS 224	44.05	51.11	3.53	08224
AS 225	47.22	54.28	3.53	08225
AS 226	50.4	57.46	3.53	08226
AS 227	53.57	60.63	3.53	08227
AS 228	56.75	63.81	3.53	08228
AS 229	59.92	66.98	3.53	08229
AS 230	63.1	70.16	3.53	08230
AS 231	66.27	73.33	3.53	08231
AS 232	69.44	76.5	3.53	08232
AS 233	72.62	79.68	3.53	08233

* 代表國際規範外， 加耐力公司特別尺寸。



材質	CNL 記號	NB709B	NB901B	SE701G	VT730B	EP702B
原料		NBR 70°	NBR 90°	Silicone 70°	Viton 75°	EP 70°

單位 unit: mm

AS規格	内徑 I.D.	外径 O.D.	厚度 W	加耐力編號 CNL Parts No.
AS 234	75.79	82.85	3.53	08234
AS 235	78.97	86.03	3.53	08235
AS 236	82.14	89.2	3.53	08236
AS 237	85.32	92.38	3.53	08237
AS 238	88.49	95.55	3.53	08238
AS 239	91.67	98.73	3.53	08239
AS 240	94.84	101.9	3.53	08240
AS 241	98.02	105.08	3.53	08241
AS 242	101.19	108.25	3.53	08242
AS 243	104.37	111.43	3.53	08243
AS 244	107.54	114.60	3.53	08244
AS 245	110.72	117.78	3.53	08245
AS 246	113.89	120.95	3.53	08246
AS 247	117.07	124.13	3.53	08247
AS 248	120.24	127.3	3.53	08248
AS 249	123.42	130.48	3.53	08249
AS 250	126.59	133.65	3.53	08250
AS 251	129.77	136.83	3.53	08251
AS 252	132.94	140	3.53	08252
AS 253	136.12	143.18	3.53	08253
AS 254	139.3	146.36	3.53	08254
AS 255	142.47	149.53	3.53	08255
AS 256	145.65	152.71	3.53	08256
AS 257	148.82	155.88	3.53	08257
AS 258	152	159.06	3.53	08258
AS 259	158.35	165.41	3.53	08259
AS 260	164.7	171.76	3.53	08260
AS 261	171.05	178.11	3.53	08261
AS 262	177.4	184.46	3.53	08262
AS 263	183.75	190.81	3.53	08263
AS 264	190.1	197.16	3.53	08264
AS 265	196.45	203.51	3.53	08265
AS 266	202.8	209.86	3.53	08266
AS 267	209.15	216.21	3.53	08267
AS 268	215.5	222.56	3.53	08268
AS 269	221.85	228.91	3.53	08269
AS 270	228.2	235.26	3.53	08270
AS 271	234.55	241.61	3.53	08271
AS 272	240.9	247.96	3.53	08272
AS 273	247.25	254.31	3.53	08273

AS規格	内徑 I.D.	外径 O.D.	厚度 W	加耐力編號 CNL Parts No.
AS 274	253.6	260.66	3.53	08274
AS 275	266.3	273.36	3.53	08275
AS 276	279	286.06	3.53	08276
AS 277	291.7	298.76	3.53	08277
AS 278	304.4	311.46	3.53	08278
AS 279	329.8	336.86	3.53	08279
AS 280	355.2	362.26	3.53	08280
AS 281	380.6	387.66	3.53	08281
AS 282	405.26	412.32	3.53	08282
AS 283	430.66	437.72	3.53	08283
AS 284	456.06	463.12	3.53	08284
AS 309	10.46	21.12	5.33	08309
AS 310	12.07	22.73	5.33	08310
AS 311	13.64	24.3	5.33	08311
AS 312	15.24	25.9	5.33	08312
AS 313	16.81	27.47	5.33	08313
AS 314	18.42	29.08	5.33	08314
AS 315	19.99	30.65	5.33	08315
AS 316	21.59	32.25	5.33	08316
AS 317	23.16	33.82	5.33	08317
AS 318	24.77	35.43	5.33	08318
AS 319	26.34	37	5.33	08319
AS 320	27.94	38.6	5.33	08320
AS 321	29.51	40.17	5.33	08321
AS 322	31.12	41.78	5.33	08322
AS 323	32.69	43.35	5.33	08323
AS 324	34.29	44.95	5.33	08324
AS 325	37.47	48.13	5.33	08325
AS 326	40.65	51.31	5.33	08326
AS 327	43.82	54.48	5.33	08327
AS 328	46.99	57.65	5.33	08328
AS 329	50.16	60.82	5.33	08329
AS 330	53.34	64	5.33	08330
AS 331	56.52	67.18	5.33	08331
AS 332	59.69	70.35	5.33	08332
AS 333	62.87	73.53	5.33	08333
AS 334	66.04	76.7	5.33	08334
AS 335	69.22	79.88	5.33	08335
AS 336	72.39	83.05	5.33	08336
AS 337	75.57	86.23	5.33	08337



材質	CNL 記號	NB709B	NB901B	SE701G	VT730B	EP702B
	原料	NBR 70°	NBR 90°	Silicone 70°	Viton 75°	EP 70°


單位 unit: mm

AS規格	內徑 I.D.	外徑 O.D.	厚度 W	加耐力編號 CNL Parts No.
AS 338	78.74	89.4	5.33	08338
AS 339	81.92	92.58	5.33	08339
AS 340	85.09	95.75	5.33	08340
AS 341	88.27	98.93	5.33	08341
AS 342	91.44	102.1	5.33	08342
AS 343	94.62	105.28	5.33	08343
AS 344	97.79	108.45	5.33	08344
AS 345	100.96	111.62	5.33	08345
AS 346	104.14	114.8	5.33	08346
AS 347	107.32	117.98	5.33	08347
AS 348	110.49	121.15	5.33	08348
AS 349	113.67	124.33	5.33	08349
AS 350	116.84	127.5	5.33	08350
AS 351	120.02	130.68	5.33	08351
AS 352	123.19	133.85	5.33	08352
AS-353	126.37	137.03	5.33	08353
AS 354	129.54	140.2	5.33	08354
AS 355	132.72	143.38	5.33	08355
AS 356	135.89	146.55	5.33	08356
AS 357	139.07	149.73	5.33	08357
AS 358	142.24	152.9	5.33	08358
AS 359	145.42	156.08	5.33	08359
AS 360	148.59	159.25	5.33	08360
AS 361	151.77	162.43	5.33	08361
AS 362	158.12	168.78	5.33	08362
AS 363	164.47	175.13	5.33	08363
AS 364	170.82	181.48	5.33	08364
AS 365	177.17	187.83	5.33	08365
AS 366	183.52	194.18	5.33	08366
AS 367	189.87	200.53	5.33	08367
AS 368	196.22	206.88	5.33	08368
AS 369	202.57	213.23	5.33	08369
AS 370	208.92	219.58	5.33	08370
AS 371	215.27	225.93	5.33	08371
AS 372	221.62	232.28	5.33	08372
AS 373	227.97	238.63	5.33	08373
AS 374	234.32	244.98	5.33	08374
AS 375	240.67	251.33	5.33	08375
AS 376	247.02	257.68	5.33	08376
AS 377	253.37	264.03	5.33	08377

AS規格	內徑 I.D.	外徑 O.D.	厚度 W	加耐力編號 CNL Parts No.
AS 378	266.07	276.73	5.33	08378
AS 379	278.77	289.43	5.33	08379
AS 380	291.47	302.13	5.33	08380
AS 381	304.17	314.83	5.33	08381
AS 382	329.55	340.21	5.33	08382
AS 383	354.97	365.63	5.33	08383
AS 384	380.37	391.03	5.33	08384
AS 385	405.26	415.92	5.33	08385
AS 386	430.65	441.31	5.33	08386
AS 387	456.06	466.72	5.33	08387
AS 388	481.46	492.12	5.33	08388
AS 389	506.86	517.52	5.33	08389
AS 390	532.26	542.92	5.33	08390
AS 391	557.66	568.32	5.33	08391
AS 392	582.65	593.31	5.33	08392
AS 393	608.1	618.76	5.33	08393
AS 394	633.5	644.16	5.33	08394
AS 395	658.85	669.51	5.33	08395
AS 425	113.67	127.65	6.99	08425
AS 426	116.84	130.82	6.99	08426
AS 427	120.02	134	6.99	08427
AS 428	123.19	137.17	6.99	08428
AS 429	126.37	140.35	6.99	08429
AS 430	129.54	143.52	6.99	08430
AS 431	132.72	146.7	6.99	08431
AS 432	135.89	149.87	6.99	08432
AS 433	139.07	153.05	6.99	08433
AS 434	142.24	156.22	6.99	08434
AS 435	145.42	159.4	6.99	08435
AS 436	148.59	162.57	6.99	08436
AS 437	151.77	165.75	6.99	08437
AS 438	158.12	172.1	6.99	08438
AS 439	164.47	178.45	6.99	08439
AS 440	170.82	184.8	6.99	08440
AS 441	177.17	191.15	6.99	08441
AS 442	183.52	197.5	6.99	08442
AS 443	189.87	203.85	6.99	08443
AS 444	196.22	210.2	6.99	08444
AS 445	202.57	216.55	6.99	08445
AS 446	215.27	229.25	6.99	08446

O 環

* 代表國際規範外， 加耐力公司特別尺寸。



材質	CNL 記號	NB709B	NB901B	SE701G	VT730B	EP702B
原料		NBR 70°	NBR 90°	Silicone 70°	Viton 75°	EP 70°

單位 unit: mm

○ 環 AS規格	內徑 I.D.	外徑 O.D.	厚度 W	加耐力編號 CNL Parts No.
AS 447	227.97	241.95	6.99	08447
AS 448	240.67	254.65	6.99	08448
AS 449	253.37	267.35	6.99	08449
AS 450	266.07	280.05	6.99	08450
AS 451	278.77	292.75	6.99	08451
AS 452	291.47	305.45	6.99	08452
AS 453	304.17	318.15	6.99	08453
AS 454	316.87	330.85	6.99	08454
AS 455	329.57	343.55	6.99	08455
AS 456	342.27	356.25	6.99	08456
AS 457	354.97	368.95	6.99	08457
AS 458	367.67	381.65	6.99	08458
AS 459	380.37	394.35	6.99	08459
AS 460	393.07	407.05	6.99	08460
AS 461	405.26	419.24	6.99	08461
AS 462	417.96	431.94	6.99	08462
AS 463	430.66	444.64	6.99	08463
AS 464	443.36	457.34	6.99	08464
AS 465	456.06	470.04	6.99	08465
AS 466	468.76	482.74	6.99	08466
AS 467	481.46	495.44	6.99	08467
AS 468	494.16	508.14	6.99	08468
AS 469	506.86	520.84	6.99	08469
AS 470	532.26	546.24	6.99	08470
AS 471	557.66	571.64	6.99	08471
AS 472	582.65	596.63	6.99	08472
AS 473	608.1	622.08	6.99	08473
AS 474	633.5	647.48	6.99	08474
AS 475	658.85	672.83	6.99	08475

○ 環 AS規格	內徑 I.D.	外徑 O.D.	厚度 W	加耐力編號 CNL Parts No.
AS 901	4.7	7.54	1.42	08901
AS 902	6.07	9.33	1.63	08902
AS 903	7.65	10.91	1.63	08903
AS 904	8.92	12.58	1.83	08904
AS 905	10.52	14.18	1.83	08905
AS 906	11.89	15.85	1.98	08906
AS 907	13.46	17.62	2.08	08907
AS 908	16.36	20.78	2.21	08908
AS 909	17.94	22.86	2.46	08909
AS 910	19.18	24.1	2.46	08910
AS 911	21.92	27.82	2.95	08911
AS 912	23.47	29.37	2.95	08912
AS 913	25.04	30.94	2.95	08913
AS 914	26.6	32.5	2.95	08914
AS 916	29.75	35.65	2.95	08916
AS 918	34.42	40.32	2.95	08918
AS 920	37.46	43.46	3	08920
AS 924	43.68	49.68	3	08924
AS 928	53.09	59.09	3	08928
AS 932	59.36	65.36	3	08932

